

**Original article****A CROSS SECTIONAL SURVEY ASSESSING KNOWLEDGE, ATTITUDE AND PRACTICES REGARDING ANTIBIOTIC RESISTANCE AMONG 2ND,3RD AND FINAL YEAR MBBS IN A TEACHING HOSPITAL IN NAVI MUMBAI.****\*Singh V P , Yadav P<sup>th</sup>, Deolekar P<sup>c</sup>, Afnan Syed. Simran Bhatia<sup>d</sup>***<sup>a</sup>Consultant, Professor<sup>b</sup>, Associate Professor<sup>c</sup>, Intern MBBS<sup>d</sup>. 4th year MBBS. Dept. of Pharmacology, D.Y. Patil University, School of Medicine.*

## ARTICLE INFO

**Keywords:***Antibiotic resistance  
questionnaire  
MBBS students  
knowledge  
attitudes and practices.*

## ABSTRACT

In 2011, WHO set the theme of World Health Day as 'Combat Antimicrobial Resistance: No Action Today, No Cure Tomorrow' [1]. This shows a serious and global problem of antibiotic abuse and there is a growing consensus to urgently develop new strategies for prevention of resistance of bacteria to antibiotics. AIMS AND OBJECTIVE: The aim of this study is to evaluate the current knowledge, attitude and practices regarding antibiotic use and antibiotic resistance (ABR) among the healthcare profession students at a Medical college. METHOD: This study is a cross-sectional, questionnaire based survey. The validated questionnaire was distributed among 150 MBBS students from 2nd, 3rd, and final year. 50 students from each year and the results were presented in the form of graphs and tables. RESULT: 94% of the 2nd year students knew that bacteria was not responsible for common cold and influenza. The knowledge of the final year in most of the questions were 100%. The final year students had a positive attitude towards ABR and antibiotics however the attitude of the 2nd year and 3rd year was found to be more casual. Practices of the final year students were found to be more sensible, 100% of the students consult a doctor before starting an antibiotic except for the fact that 94% of the students stop taking the further treatment once they start feeling better after taking antibiotics. 98% of students from 2nd year believe indiscriminate antimicrobial use leads to the emergence of the growing problem of resistance. CONCLUSION: Our study provides an important insight regarding the knowledge, attitudes and practices regarding antibiotic resistance and usage among the future doctors. It revealed that most of the students were aware of the antimicrobial resistance and its consequences. The only concern was their casual attitude

©Copyright 2010 BioMedSciDirect Publications IJBMR - ISSN: 0976:6685. All rights reserved.

**1. Introduction**

In 2011, WHO set the theme of World Health Day as 'Combat Antimicrobial Resistance: No Action Today, No Cure Tomorrow' [1]. This shows a serious and global problem of antibiotic abuse and there is a growing consensus to urgently develop new strategies for prevention of resistance of bacteria to antibiotics.

Antibiotics are the most frequently prescribed drugs, but they are often misused [2,3]. This contributes to the spreading of resistant strains of bacteria [4]. One of the causes to a wrong prescribing behavior amongst physicians [5-7]. There are many factors which could influence doctors' decisions, leading them to breach the principles of a good clinical practice. For example, the

fear of possible future complications in their patients, or a desire to fulfill patients' expectations [1,8]. Patients' wrong habits and their lack of knowledge may also represent another leading cause for antimicrobial resistance [1,9-14].

Educational initiatives on the correct use and prescription of antimicrobial drugs, addressed to the Healthcare professionals, should thus be promoted [15]. In particular, it would be desirable to focus on the new generations of health care professionals [16-17]. Indeed, they must be fully aware of the increasing problem of antibiotic resistance, since they will be the future antibiotic providers [1,16,17]

With the increasing antimicrobial (AM) resistance the implementation of antimicrobial education in the undergraduate (UG) curriculum is crucial as mere guidelines are not enough to change the behavior of the future prescribers. [18, 19] This study

\* Corresponding Author : **Yadav P\***Professor, Dept. of Pharmacology,  
D.Y. Patil University, School of Medicine.

delineates the knowledge, attitude, and practices (KAP) of the UG about AM, which exemplifies the principles of AM stewardship so that the loopholes in the teaching curriculum can be stitched in time. Understanding of the KAP of our future prescribers about AMs education will facilitate better and more effective education for them.

### AIMS AND OBJECTIVES:

- to evaluate the current knowledge, attitude and practices regarding antibiotic use and antibiotic resistance among the healthcare profession students at a Medical college.
- to identify the gaps in the knowledge and practice of tackling the abuse of anti-biotics.

### MATERIALS AND METHOD:

**Settings and design:** This study is a cross-sectional, questionnaire based survey which was be undertaken by the Department of Pharmacology and Therapeutics of a teaching hospital in Navi Mumbai , India which was conducted in 3 month time among a convenient sample of medical healthcare profession students.

Participation was voluntary, anonymous and without compensation. The questionnaire was validated by subject experts for its content and relevance.

### Sample size:

The questionnaire was distributed to a batch of 150 medical students in their 2nd year, 3rd year and final year of MBBS. That is 50 students from 2nd, 3rd and final year each.

**Study procedure:** The Institutional Ethics Committee permission will be taken prior to initiation of the study. Each participant was allotted 20 minutes to answer the questionnaire in the form of options which he/she feels were appropriate to answer. They were asked to complete the questionnaire anonymously. Informed consent was obtained from the participants, to utilize their data for research purposes. A validated questionnaire was given to the participants.

### OBSERVATIONS AND RESULT

The response rate was 100 per cent among the 150 medical students who were asked to participate in the survey. We have distributed the results year wise in the following tables 1-10 and did a comparative analysis in tables.

### SECOND YEAR STUDENTS ANALYSIS

**TABLE 1: DISTRIBUTION OF DATA BY KNOWLEDGE VARIABLES OF SECOND YEAR**

	Question	true n( %)	false n( %)	uncertain n( %)
Q1	Indiscriminate antimicrobial use leads to the emergence of the growing problem of resistance	49 (98%)	1 (2%)	---
Q2	Antimicrobial resistance means that if they are taken too often, antimicrobials are less likely to work in the future	43 (86%)	7 (14%)	----
Q3	Bacteria cause common cold and influenza	3 (6%)	47 (94%)	----
Q4	Antibiotic Resistance is an important and serious global public health issue	47 (94%)	3 (6%)	----
Q5	Ineffective treatment can occur due to indiscriminate and injudicious antimicrobial use	46 (92%)	4 (8%)	----

Table no1 depicts that the knowledge of 2nd year students about antibiotic resistance is good.

**TABLE 2: DISTRIBUTION OF DATA BY ATTITUDE VARIABLES OF SECOND YEAR**

	question	agree n( %)	disagree n( %)	uncertain n( %)
Q6	Antibiotics are safe drugs, hence they can be commonly used medication	24 (48%)	25 (50%)	1 (2%)
Q7	Skipping one or two doses does not contribute to the development of antibiotic resistance.	27 (54%)	18 (36%)	5 (8%)
Q8	Adverse effects of antimicrobials are reduced by using more than one antimicrobial at a time	20 (40%)	15 (30%)	15 (30%)
Q9	Injudicious use of antimicrobials shortens the duration of illness	14 (28%)	24 (48%)	12 (24%)
Q10	When you have a cough and sore throat, antimicrobials are the first drug of choice for early treatment and to prevent emergence of resistant strains	33 (66%)	5 (10%)	12 (24%)

In table 2 we are analyzing the attitude of the 2nd year students regarding antibiotic resistance. According to this result the attitude of the 2nd year students regarding antibiotic resistance is moderate.

**TABLE 3: DISTRIBUTION OF DATA BY PRACTICES VARIABLES OF SECOND YEAR**

	question	yes n( %)	no n( %)	uncertain n( %)
Q11	The Doctor prescribes a course of antibiotic for you. After taking 2-3 doses you start feeling better.			
Q 11A	Do you stop taking the further treatment?	14 (28%)	21 (42%)	15 (30%)
Q 11B	Do you save the remaining antibiotics for the next time you get sick?	9 (18%)	22 (44%)	19 (38%)
Q 11C	Do you discard the remaining, leftover medication?	28 (56%)	6 (12%)	16 (32%)
Q 11D	Do you give the leftover antibiotics to your friend/roommate if they get sick?	13 (26%)	24 (48%)	13 (26%)
Q 11E	Do you complete the full course of treatment?	42 (84%)	2 (4%)	6 (12%)
Q 12	Do you consult a doctor before starting an antibiotic?	36 (72%)	----	14 (28%)
Q 13	Do you check the expiry date of the antibiotic before using it?	29 (58%)	----	21 (42%)
Q 14	Do you prefer to take an antibiotic when you have cough and sore throat?	24 (48%)	24 (48%)	2 (4%)

From these observations it can be concluded that students have a casual approach towards antibiotic use.

### THIRD YEAR STUDENTS ANALYSIS

**TABLE 4 : DISTRIBUTION OF DATA BY KNOWLEDGE VARIABLES OF THIRD YEAR**

	question	true n(%)	false n( %)	uncertain n( %)
Q1	Indiscriminate antimicrobial use leads to the emergence of the growing problem of resistance	48 (96%)	2 (4%)	---
Q2	Antimicrobial resistance means that if they are taken too often, antimicrobials are less likely to work in the future	40 (80%)	10 (20%)	----
Q3	Bacteria cause common cold and influenza	16 (32%)	34 (68%)	----
Q4	Antibiotic Resistance is an important and serious global public health issue	48 (96%)	2 (4%)	----
Q5	Ineffective treatment can occur due to indiscriminate and injudicious antimicrobial use	41 (82%)	9 (18%)	----

From this we can interpret that the knowledge of 3rd year students about antibiotic resistance is good.

**TABLE 5 : DISTRIBUTION OF DATA BY ATTITUDE VARIABLES OF THIRD YEAR**

	question	true n(%)	false n( %)	uncertain n( %)
Q6	Antibiotics are safe drugs, hence they can be commonly used medication	40 (80%)	07 (14%)	3 (6%)
Q7	Skipping one or two doses does not contribute to the development of antibiotic resistance.	27 (54%)	15 (30%)	8 (16%)
Q8	Adverse effects of antimicrobials are reduced by using more than one antimicrobial at a time	37 (74%)	08 (16%)	5 (10%)
Q9	Injudicious use of antimicrobials shortens the duration of illness	16 (32%)	20 (40%)	14 (28%)
Q10	When you have a cough and sore throat, antimicrobials are the first drug of choice for early treatment and to prevent emergence of resistant strains	24 (48%)	14 (26%)	13 (26%)

According to this result the attitude of the 3rd year students regarding antibiotic resistance is moderate.

**TABLE 6 : DISTRIBUTION OF DATA BY PRACTICES VARIABLES OF THIRD YEAR**

	Question	true n(%)	false n( %)	uncertain n( %)
Q11	The Doctor prescribes a course of antibiotic for you. After taking 2-3 doses you start feeling better.			
Q 11A	Do you stop taking the further treatment?	14 (28%)	24 (48%)	12 (24%)
Q 11B	Do you save the remaining antibiotics for the next time you get sick?	9 (18%)	25 (50%)	16 (32%)
Q 11C	Do you discard the remaining, leftover medication?	10 (20%)	27 (54%)	13 (26%)
Q 11D	Do you give the leftover antibiotics to your friend/roommate if they get sick?	19 (38%)	15 (30%)	16 (32%)
Q 11E	Do you complete the full course of treatment?	40 (70%)	-----	10 (20%)
Q 12	Do you consult a doctor before starting an antibiotic?	32 (64%)	3 (8%)	15 (30%)
Q 13	Do you check the expiry date of the antibiotic before using it?	50 (100%)	----	----
Q 14	Do you prefer to take an antibiotic when you have cough and sore throat?	14 (28%)	10 (24%)	26 (52%)

### FINAL YEAR STUDENTS ANALYSIS

**TABLE 7 : DISTRIBUTION OF DATA BY KNOWLEDGE VARIABLES OF FINAL YEAR**

	Question	True n(%)	false n( %)	uncertain n( %)
Q1	Indiscriminate antimicrobial use leads to the emergence of the growing problem of resistance	50 (100%)	0	---
Q2	Antimicrobial resistance means that if they are taken too often, antimicrobials are less likely to work in the future	50 (100%)	0	----
Q3	Bacteria cause common cold and influenza	0	50 (100%)	----
Q4	Antibiotic Resistance is an important and serious global public health issue	49 (98%)	1 (2%)	----
Q5	Ineffective treatment can occur due to indiscriminate and injudicious antimicrobial use	50 (82%)	0	----

From this we can interpret that the knowledge of final MBBS year students about antibiotic resistance is excellent.

**TABLE 8 : DISTRIBUTION OF DATA BY ATTITUDE VARIABLES OF FINAL YEAR**

	question	true n(%)	false n( %)	uncertain n( %)
Q6	Antibiotics are safe drugs, hence they can be commonly used medication	47 (94%)	3 (6%)	----
Q7	Skipping one or two doses does not contribute to the development of antibiotic resistance.	6 (12%)	44 (88%)	----
Q8	Adverse effects of antimicrobials are reduced by using more than one antimicrobial at a time	4 (8%)	06 (12%)	40 (80%)
Q9	Injudicious use of antimicrobials shortens the duration of illness	12 (24%)	37 (74%)	1 (2%)
Q10	When you have a cough and sore throat, antimicrobials are the first drug of choice for early treatment and to prevent emergence of resistant strains	10 (18%)	37 (74%)	3 (6%)

According to this result the attitude of the final year students regarding antibiotic resistance is good.

**TABLE 9 : DISTRIBUTION OF DATA BY PRACTICES VARIABLES OF FINAL YEAR**

	question	yes n( %)	no n( %)	uncertain n( %)
Q11	The Doctor prescribes a course of antibiotic for you. After taking 2-3 doses you start feeling better.			
Q 11A	Do you stop taking the further treatment?	47 (94%)	1 (2%)	2 (4%)
Q 11B	Do you save the remaining antibiotics for the next time you get sick?	4 (8%)	40 (80%)	6 (12%)
Q 11C	Do you discard the remaining, leftover medication?	45 (90%)	3 (6%)	2 (4%)
Q 11D	Do you give the leftover antibiotics to your friend/roommate if they get sick?	7 (14%)	37 (74%)	6 (12%)
Q 11E	Do you complete the full course of treatment?	49 (98%)	1(2%)	0
Q 12	Do you consult a doctor before starting an antibiotic?	50 (100%)	0	0
Q 13	Do you check the expiry date of the antibiotic before using it?	43 (86%)	0	7(14%)
Q 14	Do you prefer to take an antibiotic when you have cough and sore throat?	46 (92%)	1 (2%)	3 (6%)

From these observations it can be concluded that students have a casual approach towards antibiotic use.

### COMPARATIVE ANALYSIS:

In Table:10 comparison of the 2nd,3rd and final year MBBS students have been done based on the variables of knowledge, attitude and practices of antibiotic resistance by applying t-test.

**TABLE 10 : T – Test for Variables OF KNOWLEDGE, ATTITUDE AND PRACTICES OF ANTIBIOTIC RESISTANCE AMONG MBBS SECOND YEAR, THIRD YEAR AND FINAL YEAR STUDENTS**

Variables	p - value	result
<b>knowledge comparison</b>		
2 <sup>nd</sup> year-3 <sup>rd</sup> year	0.358	not significant
2 <sup>nd</sup> year-final year*	0.010	significant*
3 <sup>rd</sup> year-final year	0.180	not significant
<b>attitude comparison</b>		
2 <sup>nd</sup> year-3 <sup>rd</sup> year*	0.020	significant*
2 <sup>nd</sup> year-final year*	0.030	significant*
3 <sup>rd</sup> year-final year*	0.001	significant*
<b>practices comparison</b>		
2 <sup>nd</sup> year-3 <sup>rd</sup> year*	0.040	significant*
2 <sup>nd</sup> year-final year*	0.003	significant*
3 <sup>rd</sup> year-final year	0.737	not significant

## DISCUSSION

The emergence of bacterial strains resistant to antimicrobial agents presents a growing concern worldwide [20]. Among other factors, the irrational use of antibiotics has contributed to the progressive loss of bacterial sensitivity to antibiotics and spreading of resistant strains of bacteria, with substantial clinical and economic impact [21]. The clinical effectiveness of antibiotics depends partially on their correct use, depending on patients, physicians and retailers [22]. Physicians' decisions may be influenced by several factors such as the fear of losing a patient's trust, the lack of correct information on indications for antibiotic use and pressure from patients and families. Patient factors relating to incorrect antibiotic use include self-medication, sharing medication with other people, not taking a full course of treatment and keeping part of the course for another occasion [23].

Our study assessed the knowledge, attitude and practices of the 2nd, 3rd and final year MBBS students and also compared the KAP of the students with each year. We found that the knowledge of 2nd year students regarding antibiotic resistance [table 1] was a little better than the 3rd year [table 4]. 94% of the 2nd year students knew that bacteria was not responsible for common cold and influenza. The improvement in knowledge of the 2nd years was mainly because of the mainstream subjects like Pharmacology and Microbiology in their curriculum in 2nd year. The knowledge of the final year in most of the questions were 100% [table 13].

The final year students [table 7] had a positive attitude towards ABR and antibiotics however the attitude of the 2nd year [table 2] and 3rd year [table 8] was found to be more casual. Practices of the final year students [table 9] were found to be more sensible, 90% of the students discard the remaining, leftover medication and about

14% of the students give the leftover antibiotics to their friend / roommate if they get sick. 98% of the students complete the full course of treatment .100% of the students consult a doctor before starting an antibiotic except for the fact that 94% of the students stop taking the further treatment once they start feeling better after taking antibiotics. Similar study conducted in past includes study conducted by Zhang et al. (2011) in China involved 2088 subjects, consisting of 1236 Medical students and 852 Non medical students [17].

However our study yielded better results in terms of response rates and the knowledge of our final year students. It focusses only on students of the medical field and also evaluates the gap in their KAP year wise.

## CONCLUSION

Our study provides an important insight regarding the knowledge, attitudes and practices regarding antibiotic resistance and usage among the future doctors. It revealed that most of the students were aware of the antimicrobial resistance and its consequences. The only concern was their casual attitude regarding the antibiotic use. Further educational interventions are necessary to improve their understanding and perceptions on antibiotic resistance, as well as their attitude towards antibiotic use. It will also help to plan for an effective undergraduate curriculum and the need for educational strategies to be developed in order to enable students to reflect on knowledge of antibiotics.

## References

1. World Health Day 2011-Antibiotic resistance: No action today, no cure tomorrow. [http://www.who.int/mediacentre/news/statements/2011/whd\_20110407/en/index.html]
2. Chambers HF. General principles of antimicrobial therapy. In Goodman & Gilman's The Pharmacological Basis of Therapeutics 11th edition. Editors: Brunton L, Parker K, Blumenthal D, Buxton I. New York, USA, McGraw Hill. 2006; pp. 1095-1110.
3. World Health Organization (WHO) (2014) Antimicrobial Resistance. Global Report on Surveillance Geneva: World Health Organization, 2014. Available: [http://apps.who.int/iris/bitstream/10665/112642/1/9789241564748\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/112642/1/9789241564748_eng.pdf). Accessed 10 December 2014.
4. Centers for Disease Control and Prevention (CDC) (2013) Antibiotics Aren't Always the Answer. Available: <http://www.cdc.gov/Features/GetSmart/Accessed:10December2014>.
5. Tonkin Crine S, Yardley L, Little P. Antibiotic prescribing for acute respiratory tract infections in primary care: a systematic review and meta-analysis. J Antimicrob Chemother. 2011; 66(10):2215-2223. doi:10.1093/jac/dkr279 PMID:21764827
6. Butler CC, Rollnick S, Pill R, Maggs Rapport F, Stott N. Understanding the culture of prescribing: a qualitative study of general practitioners' and patients' perceptions of antibiotic use for sore throats. BMJ. 1998; 317(7159):637-642. PMID:9727992
7. Kumar S, Little P, Britten N. Why do general practitioners prescribe antibiotics for sore throat? Grounded theory interview study. BMJ. 2003; 326(7381):138. PMID:12531847
8. Teixeira Rodrigues A, Roque F, Falcão A, Figueiras A, Herdeiro MT. Understanding physician antibiotic prescribing behaviour: a systematic review of qualitative studies. Int J Antimicrob Agents. 2013; 41(3):203-212. doi:10.1016/j.ijantimicag.2012.09.003 PMID:23127482
9. Cars O, Mölstad S, Melander A. Variation in antibiotic use in the European Union. Lancet. 2001; 357(9271):1851-1853. PMID:11410197

10. Corbett KK, Gonzales R, Leeman Castillo BA, Flores E, Maselli J, Kafadar K. Appropriate use: variation in knowledge and awareness by Hispanic ethnicity and language. *Prev Med.* 2005; 40(2):162–169. PMID: 15533525
11. McNulty CAM, Boyle P, Nichols, Clappison P, Davey P. Don't wear me out—The public's knowledge of and attitude to antibiotic use. *J Antimicrob Chemother.* 2007; 59(4):727–738. PMID: 17307770
12. Grigoryan L, Burgerhof JG, Haaijer Ruskamp FM, Degener JE, Deschepper R, Monnet DL, et al. Is self-medication with antibiotics in Europe driven by prescribed use? *J Antimicrob Chemother.* 2007; 59:152–156. PMID: 17124192
13. European Commission. Special Eurobarometer 407. Antimicrobial Resistance. Report (2013) Available: [http://ec.europa.eu/health/antimicrobial\\_resistance/docs/ebs\\_407\\_en.pdf](http://ec.europa.eu/health/antimicrobial_resistance/docs/ebs_407_en.pdf) Accessed 10 December 2014.
14. Mayadah shehadeh, ghadeer suaifan, rula m. Darwish, mayyada wazaify, luna zaru, suzan alja fari, Knowledge ,Attitude and Behaviors regarding antibiotics use and misuse among adults in the community of Jordan. A pilot study, *Saudi Pharmaceutical journal* (2012) 20,125-133
15. satish kumar bp1, santhosh yl, mohammed gulzar ahamed, naveen mr, survey on knowledge towards antibiotics among the nursing students, *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol 3, Issue 2, 2011, 227229
16. Afzal khan a k, gausia banu, reshma k k, Antibiotic Resistance and Usage—A Survey on the Knowledge, Attitude, Perceptions and Practices among the Medical Students of a Southern Indian Teaching Hospital, *Journal of Clinical and Diagnostic Research.* 2013 Aug, Vol-7(8): 1613-1616
17. Ying huang, jiarui gu, mingyu zhang, zheng ren, weidong yang, yang chen, yingmei fu, xiaobei chen, jochen w cals, fengming zhang, knowledge attitude practice of antibiotic resistance: a questionnaire study among 2500 Chinese students, Huang et al. *BMC Medical Education* 2013, 13:163
18. Andolghafour jorak, faeze keihanian, amin saeidinia, abtin heidarzadeh, fatehmeh saeidinia, A Cross Sectional Study on Knowledge, Attitude and Practice of Medical Students Toward Antibiotic Resistance and its Prescription, Iran. *Advances in Environmental Biology*, 8(17) September 2014, Pages: 675-681
19. Dhadwal d, sachdeva a, Knowledge, attitudes and behavior towards antibiotic usage and its resistance among the general public of Shimla city: A pilot study *International Journal of Community Health and Medical Research* Vol.1 Issue 1 2015
20. Spellberg, B.; Guidos, R.; Gilbert, D.; Bradley, J.; Boucher, H.W.; Scheld, W.M.; Bartlett, J.G.; Edwards, J., Jr. The epidemic of antibiotic-resistant infections: A call to action for the medical community from the Infectious Diseases Society of America. *Clin. Infect. Dis.* 2008; 46:155-164. 11
21. Maragakis LL, Perencevich EN, Cosgrove SE: Clinical and economic burden of antimicrobial resistance. *Expert Rev Anti Infect Ther* 2008; 6:751-63
22. Radyowijati A, Haak H: Determinants of antimicrobial use in the developing world. In *Child Health Special Report*. Volume 4. Washington, DC: USAID Bureau of Global Health; 2002.
23. Grigoryan L, Burgerhof JG, Haaijer-Ruskamp FM, Degener JE, Deschepper R, Monnet DL, Di Matteo A, Scicluna EA, Bara AC, Lundborg CS, Birkin J, SAR group: Is self-medication with antibiotics in Europe driven by prescribed use? *J Antimicrob Chemother* 2007; 59:152-6.