Int J Biol Med Res. 2025; 16(1): 7980-7985

Contents lists available at BioMedSciDirect Publications

International Journal of Biological & Medical Research

Journal homepage: www.biomedscidirect.com

Review Article

Telemedicine Applications in the Diagnosis and Management of Tuberculosis

Daniel Abigail Abi*, Ajide Bukola Adeyoola; Solomon Matthias Gamde; Daniel Aweng Gift; Jonathan Kushim Agwom

ARTICLEINFO

Keywords:
Applications,
Diagnosis,
Management,
Telemedicine,
Tuberculosis

ABSTRACT

The emergence of telemedicine offers a novel strategy for enhancing tuberculosis (TB) diagnosis and treatment, a major global public health concern. This study investigates how telemedicine applications might improve tuberculosis care, especially in isolated and resource-constrained environments. Telemedicine technologies facilitate prompt and precise diagnosis, remote monitoring, and customized treatment regimens. These technologies include mobile health (mHealth) platforms, digital diagnostic tools, and video consultations. These solutions facilitate the resolution of obstacles including geographic remoteness, healthcare accessibility, and diagnostic delays by establishing connections between patients and medical experts. To evaluate the usefulness of telemedicine in the management of tuberculosis, this review summarizes recent research and pilot projects, emphasizing developments in digital diagnostics, patient adherence support, and virtual consultation models. These technologies have great promise, but before they are widely used, issues including data protection, infrastructural constraints, and health professional training need to be resolved. The study's recommendations for telemedicine integration into national TB control initiatives and suggested research areas to maximize its use in TB management are presented in the study's conclusion.

© Copyright 2023 BioMedSciDirect Publications IJBMR -ISSN: 0976:6685.

Introduction

1.1 Definition and Overview of Telemedicine

Telemedicine refers to the remote diagnosis and treatment of patients using telecommunications technology, allowing healthcare services to be provided remotely. It uses tools such as video conferencing, mobile apps and digital health records to provide medical consultations and monitor patients' conditions. Telehealth can bridge the gap in healthcare access, particularly for rural and underserved populations (1).

Since its inception, telemedicine has expanded beyond primary care to include specialty areas such as dermatology, psychiatry, and cardiology (2). It offers significant benefits including reduced travel times for patients, timely medical interventions, and lower healthcare costs (3). Furthermore, telemedicine became crucial during the COVID-19 pandemic as it helps healthcare systems cope with the surge in demand while minimizing infection risks (3). Despite its advantages, challenges remain, including regulatory issues, technological barriers, and privacy concerns (3). The effectiveness of telemedicine depends on a reliable internet connection, which may be limited in certain areas (1). Additionally, patient trust and quality of remote care are ongoing issues (2). Overall, telemedicine represents a transformative shift in healthcare delivery that has the potential to have far-reaching impacts on global health.

Corresponding author:

***Daniel Abigail Abi**
Department of Community Medicine and Primary Health CareKaru, Nasarawa State, Nigeria.
E-mail:abigaildaniel689@gmail.com

© Copyright 2023 BioMedSciDirect Publications IJBMR -ISSN: 0976:6685.

1.2Overview of Tuberculosis

Tuberculosis (TB) is a contagious bacterial infection caused by Mycobacterium tuberculosis that primarily affects the lungs but can also spread to other organs (4). TB is spread through airborne droplets when an infected person coughs or sneezes (5). Symptoms of tuberculosis include chronic cough, fever, night sweats, and weight loss, which may develop slowly over several months (6). Diagnosis of tuberculosis typically involves a combination of skin tests, blood tests, chest x-rays, and sputum cultures (7,8) although other innovative methods are still in the pipeline.

While tuberculosis is curable with antibiotics, treatment requires following a strict treatment plan over several months, often with a combination of medications such as isoniazid and rifampicin (9). Drug-resistant tuberculosis strains such as multidrug-resistant tuberculosis (MDR-TB) pose significant challenges to global health (10). In 2021, 10.6 million people were diagnosed with tuberculosis worldwide, with over 1.6 million deaths, making it one of the leading causes of death from infectious diseases (9).

People in low- and middle-income countries are disproportionately affected by tuberculosis, particularly those with weakened immune systems, such as people with HIV (6). Global efforts to combat tuberculosis focus on early detection, vaccination with the Bacillus Calmette-Guérin (BCG) vaccine, and public health interventions (9). However, the ongoing COVID-19 pandemic has disrupted tuberculosis services and led to setbacks in achieving tuberculosis control goals (3).

1.3 Importance of Telemedicine in the Diagnosis and Management of TB

Improved diagnosis and treatment of TB are enabled through telemedicine, particularly in resource-limited settings. It enables remote consultations and enables medical professionals to provide care in places with poor access to medical facilities. By ensuring rapid diagnosis and treatment for patients in underserved or rural areas, this technology reduces the possibility of delayed care. In addition,

telemedicine supports TB patients in continuous monitoring and follow-up, which improves adherence to treatment plans. Again, the need for in-person visits to medical facilities is reduced, reducing the possibility of tuberculosis transmission, especially during the COVID-19 pandemic (3).

Telemedicine improves patient outcomes by increasing the accuracy of tuberculosis diagnoses by allowing healthcare professionals to consult specialists remotely. Additionally, telemedicine platforms can improve the quality of care by educating and training healthcare professionals on the latest tuberculosis treatment protocols. Through real-time data sharing and reporting, this strategy also enables more effective tracking of tuberculosis outbreaks. However, to fully realize the benefits of telemedicine in tuberculosis treatment, barriers such as limited access to digital infrastructure and potential technology literacy issues must be addressed. Overall, telemedicine is a revolutionary method of treating and diagnosing TB that has the potential to dramatically reduce tuberculosis morbidity and mortality worldwide (6,11).

2.0 Historical Context of Telemedicine in TB Diagnosis and Management

2.1 Early Developments and Use of Telemedicine in TB Care

Telemedicine has a long history and was first used to treatTB, paving the way for more comprehensive healthcare delivery strategies. Telemedicine was initially used to provide timely diagnosis and follow-up by bridging the gap between tuberculosis patients in rural areas and healthcare professionals using telecommunications tools (1). These early telemedicine-assisted tuberculosis care initiatives demonstrated how effective telemedicine can be in addressing public health problems, particularly in underserved areas (12). Over time, the role of telemedicine in tuberculosis treatment has changed, introducing tools such as video-based directly observed therapy (DOT) to monitor medication compliance (12). As a result, the historic application of telemedicine in tuberculosis treatment has paved the way for its widespread use in global health systems.

2.2 Advancements and Breakthroughs in Telemedicine Technologies for TB

Telemedicine, initially confined to fundamental communication technologies, has undergone substantial progress, especially in the field of TB management. Innovations like mobile health applications, AI-powered diagnostics, and remote monitoring systems have enhanced early detection and ongoing treatment for TB patients, particularly in areas with limited resources (13). This evolution has led to more affordable and reliable TB care, tackling issues such as patient seclusion, organizational hurdles, and physician scarcity (13). The progression of telemedicine in TB management shows a transition from simple communication strategies to comprehensive, tech-driven solutions, positively impacting TB results on a global level (13).

2.3 Current State and Acceptance of Telemedicine in TB Care

Telemedicine has advanced significantly in the diagnosis and treatment of tuberculosis (TB), shaped by historic efforts to overcome geographic and resource barriers. Historically, treatment of tuberculosis has been associated with long hospital stays and limited access to specialized care, particularly in rural areas (14). With digital technologies, telemedicine now facilitates remote consultations, diagnosis and follow-up, which has significantly improved access to tuberculosis services. Particularly during the COVID-19 pandemic, the adoption of telemedicine in tuberculosis care accelerated to address the need for continuity of care despite restrictions. Despite its advantages, the adoption of telemedicine varies from region to region due to technological, cultural and infrastructural challenges. In countries with high TB burdens, limited internet connectivity and the digital device often hinder the full potential of telemedicine (15,16).

However, countries with robust health infrastructures have seen better patient outcomes and adherence to TB treatment protocols (17). Telemedicine has not only expanded access but also enabled more efficient use of resources, reducing travel time and burden on healthcare facilities (13). As a result, TB care is gradually shifting towards a more hybrid model that integrates traditional and digital healthcare approaches. The historical context of telemedicine in tuberculosis highlights its transformative role in making healthcare more accessible and adaptable in the face of global challenges.

3.0 Telemedicine Applications for TB Diagnosis

3.1 Tele-radiology in the Interpretation of Chest X-rays and CT scans

To diagnose tuberculosis (TB) in patients through the interpretation of chest x-rays and CT scans, teleradiology has become an essential application of telemedicine. By using this technology, radiologists can now carry out remote imaging analyses and thus expand access to specialist medical knowledge - especially in disadvantaged areas (18). According to the World Health Organization (19), early detection of tuberculosis (TB) is critical as prompt imaging can have a significant impact on patient outcomes.

Healthcare facilities can accelerate treatment initiation by using teleradiology to reduce the time it takes to diagnose patients. Research shows that the diagnostic precision of remotely interpreted CT scans and chest X-rays is equivalent to that of in-person examinations, confirming the reliability of teleradiology. Furthermore, this strategy can support the efficient management of tuberculosis in resource-poor settings where radiologists may be difficult to find (18).

Artificial intelligence (AI) has been integrated into teleradiology to further improve image analysis and enable more accurate identification of TB-related changes (20). Through routine imaging evaluations, teleradiology not only facilitates ongoing monitoring of tuberculosis patients, but also increases diagnostic efficiency. As telemedicine becomes more widespread in healthcare systems, teleradiology is emerging as a viable strategy to combat tuberculosis and ultimately advance public health goals. With continued advances in teleradiology technology and its application in telemedicine, the future of TB diagnosis looks bright (20).

3.2 Telepathology in the Analysis of TB-related Tissue Samples

The application of telepathology, which allows remote analysis of pathology slides through digital imaging, offers innovative techniques to diagnose tuberculosis (TB) through examination of tissue samples. Given the increasing global burden of tuberculosis, rapid and accurate diagnosis is of paramount importance. Telepathology can contribute to this by allowing pathologists to assess samples from different locations without the need for physical transportation (21).

Combining telemedicine and tuberculosis diagnosis improves the availability of expert opinions, particularly in areas where pathology resources are inadequate (21).Advances in digital imaging technology have led to improved analysis of tissue sample quality and more reliable diagnoses. In addition, telepathology facilitates cross-border collaboration between healthcare providers and promotes a multidisciplinary approach to patient management. With the advancement of telemedicine, artificial intelligence can improve diagnostic efficiency and accuracy in telepathology and provide strong support to physicians (20,21).

3.3Tele-dermatology for the Diagnosis of Cutaneous TB

A notable application of telemedicine is tele-dermatology, particularly in the diagnosis of cutaneous tuberculosis (TB), which can be difficult to diagnose due to its clinical similarities to other skin diseases. Tele-dermatology uses digital technology to assist healthcare professionals in assessing and treating skin lesions remotely, thereby facilitating early detection and treatment of cutaneous tuberculosis (22). This novel strategy reduces the time needed to diagnose patients, improving patient outcomes while increasing access to specialized dermatological care, particularly in disadvantaged areas.

High-quality imaging and data sharing are enabled by tele-dermatology platforms, which are essential for precise diagnosis and follow-up (22). Additionally, by combining clinical data and teleconsultation capabilities, these platforms enable dermatologists to make informed

decisions based on a thorough patient history and clinical presentation. Integrating tele-dermatology into TB diagnostic protocols could accelerate the identification of cutaneous TB cases and enable timely intervention as the prevalence ofTB remains a global health problem (9). Ultimately, tele-dermatology is a promising development in the fight against tuberculosis because it uses technology to effectively circumvent geographic barriers and improve access to healthcare.

3.4 Diagnosing Latent TB Infection Remotely Through Telemedicine.

Given the challenges facing global health, the use of telemedicine in diagnosing latentTB infection has gained relevance. Applications for telemedicine enable medical professionals to connect with patients in far-flung locations, lowering obstacles to receiving care (23). Through video calls and mobile health applications, remote consultations can help identify latent tuberculosis infections and enable prompt intervention (23,24). By offering education and support, telemedicine can help patients adhere to testing protocols, which is important for populations at high risk of TB (17).

Additionally, telemedicine can facilitate patient access to diagnostic services by streamlining the administration and interpretation of interferon-gamma release assays (IGRAs) and tuberculin skin tests. By enabling physicians to manage more patients remotely, this strategy not only reduces exposure to infectious diseases but also maximizes the use of healthcare resources. Again, telemedicine can improve patient data collection, which will improve program monitoring and evaluation for tuberculosis control (23,24). Consequently, the use of telemedicine in TB diagnosis is a promising tactic to stop the spread of latent TB infection, especially in underprivileged areas.

To fully utilize the potential of this novel strategy, more research and infrastructure investments in telehealth are required (24). In general, telemedicine has the potential to greatly enhance the early detection and treatment of latent tuberculosis infection, thereby aiding in the worldwide endeavour to eradicate tuberculosis.

4.0 Telemedicine Applications for TB Management

4.1 Remote Monitoring of Patients with Active TB through Video Consultations

Treatment of tuberculosis (TB) has traditionally relied on face-to-face consultations and direct observation of treatment (DOT). However, the emergence of telemedicine offers innovative solutions for remote monitoring of patients with active tuberculosis. Video consultations allow for timely assessment of the patient's symptoms, treatment adherence, and overall progress without the need for physical visits (23,25). This approach is particularly beneficial in resource-poor settings where access to healthcare facilities may be limited, and patients face geographic barriers (17). By using remote monitoring technologies, healthcare providers can improve patient engagement and accountability in their treatment plans. In addition, video consultations can reduce the risk of tuberculosis transmission by minimizing face-to-face contact and consistent with pandemic public health goals (23,25).

Integrating telemedicine into TB management also addresses the challenges of follow-up care and ensures patients receive timely support and resources (26). Despite the benefits, successful implementation requires consideration of barriers such as technological literacy, access to devices, and internet connectivity (26). Overall, remote monitoring of patients with active tuberculosis through video consultations represents a promising advance in telemedicine applications that improves patient outcomes while adhering to safety guidelines. Continued research and investment are essential to optimize these technologies for broader use in TB management.

4.2 Facilitating Medication Adherence and Monitoring through Virtual Platforms.

TB remains a major global health challenge and adherence to prescribed medications is critical for effective treatment. Virtual telemedicine platforms offer innovative solutions to improve medication adherence and monitoring for tuberculosis patients. These platforms can facilitate regular communication between healthcare providers and patients and enable real-time tracking of medication use and side effects (17).

Additionally, telemedicine can reduce barriers to accessing healthcare services, particularly in remote areas where patients may have difficulty attending in-person appointments. Digital reminders and notifications can be integrated into these platforms to strengthen adherence to treatment plans, thereby improving overall health outcomes. Again, the use of video consultations allows healthcare professionals to visually assess patient compliance, providing the opportunity for immediate feedback and support. Data collected through virtual platforms can be analysed to identify patterns of non-adherence, enabling tailored interventions to address specific patient needs (26-29).

Ensuring that patients complete their treatment is another way the use of these telemedicine apps can support the larger goal of reducing TB transmission rates (17). Medication adherence and monitoring in tuberculosis treatment can be promoted through telemedicine, which could ultimately lead to better patient outcomes and better public health.

4.3Psychological Support and Counselling for TB Patients via Telemedicine

Telemedicine has become an essential tool for treating tuberculosis (TB) by providing patients with counselling and psychological support. Tuberculosis can have a significant psychological impact, leading to social isolation, anxiety and depression (29). Healthcare professionals can provide immediate mental health interventions via telemedicine to help patients cope with their diagnosis and treatment journey. According to research, tele-counselling can help tuberculosis patients feel less psychological distress and adhere to their treatment plans (30,31).

Telemedicine also allows patients to continuously communicate and receive support without having to travel and be stigmatized with in-person visits (30,31). Telemedicine-based integration of psychological support into tuberculosis treatment promotes better health outcomes, which also improves the overall quality of care. Because this novel approach addresses both physical and mental health needs, it represents a significant advance in tuberculosis treatment strategies.

4.4 Tele-supervision for Directly Observed Therapy (DOT) in TB Treatment

An important development in the treatment of tuberculosis (TB) through telemedicine applications is telemonitoring for Directly Observed Therapy (DOT). This strategy reduces the risk of transmission while ensuring patient adherence to tuberculosis medications by allowing healthcare providers to remotely monitor patients taking their prescriptions (32). With video technology physicians can monitor the medication administration process, providing immediate assistance and guidance to patients (33).

The integration of telemonitoring increases the effectiveness of tuberculosis control programs and increases patient compliance, especially in settings with limited resources. In addition, telemonitoring can reduce the workload of healthcare facilities by reducing the need for in-person visits. Studies show that telemonitored DOT delivers results like traditional techniques, with the added benefit of increasing patient satisfaction (32,33). Given the increasing global burden of tuberculosis, effective disease management may depend on integrating remote monitoring into DOT protocols.

5.0 Benefits and Challenges of Telemedicine in TB Care

5.1 Improved Access to Care for Remote and Underserved Populations

Improving access toTB treatment through telemedicine has become a game-changing strategy, particularly for disadvantaged and remote populations. Telemedicine eliminates the need for long travel, which is often a major barrier to obtaining healthcare services, and enables patients to receive timely consultation, diagnosis and follow-up care by bridging geographical gaps (17). This is particularly important for tuberculosis patients, as rapid treatment can significantly reduce transmission rates and improve health outcomes.

Regardless, the use of telemedicine presents certain obstacles, such as limited technological infrastructure and low digital literacy among certain populations, which can hinder efficient communication and healthcare delivery. Additionally, data security and privacy concerns may prevent patients and providers from fully utilizing telehealth platforms (34). Despite these difficulties, telemedicine has the potential to significantly improve access to tuberculosis care for disadvantaged populations, warranting continued research and development in this area. In conclusion, while telemedicine represents a viable approach to improving the accessibility of tuberculosis care, overcoming its obstacles is critical to achieving its full potential.

5.2 Increased Convenience for Patients and Healthcare Providers

Telemedicine has become a transformative strategy in the treatment of tuberculosis (TB), providing a more convenient experience for both patients and healthcare professionals. Patients benefit from remote consultations that eliminate the need to commute – a significant benefit for those in rural or underserved areas. This accessibility can improve treatment adherence because patients can interact with healthcare providers without the challenges of distance and organization (1,31).

Telemedicine helps healthcare professionals manage more patients by allowing them to schedule virtual appointments, resulting in more effective use of their time and resources. Regardless, certain obstacles remain, including the need for a robust technological framework and the possibility of reduced interpersonal communication, which may impact the therapeutic alliance. To increase trust in telemedicine systems, data security and patient privacy issues also need to be addressed (1,32). Ultimately, telemedicine offers significant benefits in tuberculosis treatment; However, a thorough assessment of these obstacles is required for optimal application.

5.3 Cost-effectiveness and Resource Optimization in TB Care

Telemedicine has played a critical role in the treatment of tuberculosis (TB) by improving accessibility while promoting resource efficiency and cost-effectiveness. Telemedicine minimizes transportation costs and time patients spend away from their home or work by enabling remote consultations, so patients do not have to travel long distances (33,34). In addition, telemedicine allows healthcare professionals to track patients' compliance with prescribed treatment plans via virtual check-ins, potentially improving patient outcomes and reducing the risk of disease transmission (33,34).

However, technological barriers such as internet connectivity and patient digital literacy complicate the use of telemedicine in tuberculosis treatment. Its scalability in resource-limited environments may also be limited by the high upfront costs associated with setting up telemedicine platforms and training healthcare providers. Because efficient telemedicine solutions must be tailored to the individual needs of a wide range of people to optimize tuberculosis care, it is crucial to find a balance between these advantages and difficulties (33,34). Ultimately, if the barriers to its implementation are methodically addressed, telemedicine in tuberculosis care offers a promising opportunity promote health equity and improve patient outcomes.

5.4 Ethical and Legal Considerations in Telemedicine for TB

Due to its advantages and difficulties in use, telemedicine has become an indispensable tool in the treatment of tuberculosis (TB). Ethically, telemedicine can increase patients' access to care in remote locations, promote equity in health care, and reduce the stigma associated with tuberculosis. Nevertheless, moral conundrums arise in sensitive healthcare environments regarding informed consent, patient privacy, and the need for interpersonal communication (36,37).

Due to the lack of uniform regulations for telemedicine services across jurisdictions, this may create complexities in their provision and raise concerns about accountability and medical negligence (37). Additionally, the digital divide could increase health inequalities as not all people have equal opportunities to use technology, which could lead to discussions about equity in health care (37). Nevertheless, the potential of telemedicine to improve TB management, such as: B. improving treatment adherence and timely monitoring of patients' health status continue to be significant (37). Therefore, navigating the ethical and legal intricacies is critical to fully realize the benefits of telemedicine in tuberculosis treatment.

5.5 Technical Limitations and Barriers to Implementation

Improved tuberculosis (TB) treatment through telemedicine has become a viable option, particularly in underserved and remote areas. However, there are several technical obstacles and limitations to implementation that call into question its effectiveness. A major obstacle that can hinder efficient communication between healthcare providers and patients is the uneven availability of reliable internet and telecommunications infrastructure, particularly in resource-poor areas (1,38).

Furthermore, inadequate training of professionals in telemedicine technology can lead to underutilization and inappropriate management of tuberculosis cases, jeopardizing patient care (38). Another problem is the lack of integrated electronic health records that can enable smooth information exchange and continuity of care (38).

Furthermore, patient acceptance and trust in telemedicine services remains variable and is influenced by cultural factors and previous healthcare experiences that may impact adherence to treatment (1,39). Despite these challenges, addressing technical limitations through targeted interventions could increase the overall utility of telemedicine in tuberculosis care, potentially leading to better patient outcomes and greater access to necessary treatments.

6.0 Case Studies and Success Stories of Telemedicine in TB Care

6.1 Examples of Successful Telemedicine Programs for TB Diagnosis

Telemedicine has become a game-changing strategy in the treatment of tuberculosis (TB), improving diagnosis and treatment accessibility for underprivileged and remote populations. The Telehealth for Tuberculosis Program in South Africa is one prominent example. It made use of mobile technology to link patients and medical professionals for follow-up care and remote consultations. The initiative revealed a notable rise in tuberculosis detection rates, highlighting the efficiency of utilizing technology to close gaps in healthcare accessibility (41).

The e-Sanjeevani platform in India made it possible for TB patients to receive consultations in real-time and expedited the referral procedure, which enhanced treatment compliance and patient satisfaction (40). Comparably, the Tele-TB Initiative in Bangladesh used telemedicine to speed up early diagnosis and treatment initiation, saving a great deal of time to care when compared to conventional approaches (42).

These programs demonstrate the potential of telemedicine to overcome geographic barriers and improve the overall efficiency of tuberculosis care. By integrating technology into healthcare, these case studies demonstrate a promising path to improving TB outcomes worldwide. Future research should focus on optimizing these programs and exploring their scalability to maximize their impact on tuberculosis elimination efforts (21).

6.2 Case Studies Highlighting the Effectiveness of Telemedicine in TB Management.

Telemedicine has become an essential tool for treating tuberculosis (TB), particularly in underserved and remote areas. A case study conducted in Ethiopia found that telemedicine significantly increased patient adherence to tuberculosis treatment by providing real-time consultations and reminders (43). According to another South African study, telehealth services improved the overall management of drug-resistant tuberculosis by reducing the time to diagnosis and initiation of treatment (41).

These case studies demonstrate how telemedicine promotes ongoing patient engagement and closes the healthcare accessibility gap. In addition, the use of telemedicine has proven to be economical, saving patients travel costs and allowing healthcare systems to allocate resources more effectively. Since tuberculosis (TB) remains a major global health problem, integrating telemedicine into conventional management approaches could improve control efforts (13). Overall,

the data suggest the ability of telemedicine to improve outcomes in tuberculosis treatment, suggesting that its broader application is likely to be successful.

6.3 Lessons Learned and Recommendations for Scaling up Telemedicine in TB Care

The use of telemedicine in the treatment of TB has produced important insights into improving patient outcomes and healthcare delivery. Important takeaways include the need to integrate telehealth solutions with current healthcare systems to enhance accessibility and guarantee continuity of care. Additionally, to promote efficient patient management and communication, healthcare professionals must be trained in the use of telemedicine platforms (44).

7.0 Conclusion

Telemedicine has proven to be an essential tool in the diagnosis and treatment of tuberculosis, particularly in resource-limited settings. Key discoveries suggest that telemedicine improves the availability of healthcare services by allowing patients in remote regions to consult specialists virtually. The possibility of a timely diagnosis using remote imaging and symptom assessment significantly shortens the time between the onset of symptoms and the start of treatment. In addition, telemedicine improves treatment adherence through regular follow-up visits and support via digital platforms - a crucial aspect in the treatment of chronic diseases such as tuberculosis. Overall, integrating telemedicine into tuberculosis management strategies promises to improve patient outcomes and reduce the spread of the disease.

8.0 Recommendations

Diagnosis and treatment ofTB is increasingly reliant on telemedicine, particularly in underserved and remote areas. Subsequent research should focus on evaluating the effectiveness of telemedicine interventions in improving patient outcomes, particularly regarding early detection and treatment compliance. By introducing standardized procedures for telemedicine applications in tuberculosis treatment, the reliability and quality of the services provided can be improved. Additionally, expanding the reach of telemedicine requires removing technological barriers and ensuring access to reliable internet services. Ultimately, developing a comprehensive tuberculosis treatment strategy requires integrating telemedicine into conventional healthcare systems to enable seamless communication between patients and healthcare professionals.

References

[1] Bashshur RL, Shannon GW, Krupinski EA, GrigsbyJ. (2016). The empirical foundations of telemedicine interventions for chronic disease management. Telemedicine and e-Health, 20(9), 769-800.

[2] DorseyER, & TopolEJ. (2020). Telemedicine 2020 and the next decade. The Lancet, 395(10227), 859.

[3] Keesara S, Jonas A, Schulman K. (2020). Covid-19 and health care's digital revolution. New England Journal of Medicine, 382(23), e82.

[4] World Health Organization (WHO). (2010). Telemedicine: Opportunities and developments in member states.(Accessed 24thSeptember, 2024).

[5] Centers for Disease Control and Prevention. (2022). Tuberculosis (TB). https://www.cdc.gov/tb/(Accessed 24thSeptember, 2024).

[6] Pai M, Behr MA, Dowdy D, Dheda K, Divangahi M, Boehme CC, et al.(2016). Tuberculosis. Nat Rev Dis Primers. 2016 Oct 27;2:16076. doi: 10.1038/nrdp.2016.76. PMID: 27784885.

[7] Abi DA, Magaji A, Al-Mansur S, Jang B, Ibrahim A, Gamde MS, et al. Knowledge gaps in tuberculosis among students and its implications for public health. Microbes Infect Dis 2024; 5(1): 139-147.

[8] Abi DA, Samson BJ, Gamde SM, Abriba SP. (2023). Detection of Mycobacterium tuberculosis in tongue swab. Microbes Infect Dis 2024; 5(1): 168-177.

[9] World Health Organization. (2023). Global tuberculosis report 2023. https://www.who.int/teams/global-tuberculosis-programme/tb-reports (Accessed 24thSeptember, 2024).

[10] Lange C, Alghamdi WA, Al-Shaer MH, Brighenti S, Diacon AH, DiNardo AR, et al. (2028). Perspectives for personalized therapy for patients with multidrug-resistant tuberculosis. J Intern Med. 2018 May 28. doi: 10.1111/joim.12780. Epub ahead of print. PMID: 29806961.

[11] Smith AC, Gray LC. Telemedicine across the ages. Med J Aust. 2009 Jan 5;190(1):15-9. doi: 10.5694/j.1326-5377.2009.tb02255.x. PMID: 19120002.

[12] Wootton, R. (2012). Twenty years of telemedicine in chronic disease management–an evidence synthesis. Journal of Telemedicine and Telecare, 18(4), 211-220. https://doi.org/10.1258/jtt.2012.120219

[13] Guo P, Qiao W, Sun Y, Liu F, Wang C. Telemedicine Technologies and Tuberculosis Management: A Randomized Controlled Trial. Telemed J E Health. 2020 Sep;26(9):1150-1156. doi: 10.1089/tmj.2019.0190. Epub 2019 Dec 2. PMID: 31794684.

[14] Cioboata R, Biciusca V, Olteanu M, Vasile CM. COVID-19 and Tuberculosis: Unveiling the Dual Threat and Shared Solutions Perspective. J Clin Med. 2023 Jul 19;12(14):4784. doi: 10.3390/jcm12144784. PMID: 37510899; PMCID: PMC10381217.

[15] Olowoyo KS, Esan DT, Adeyanju BT, Olawade DB, Oyinloye BE, Olowoyo P. Telemedicine as a tool to prevent multi-drug resistant tuberculosis in poor resource settings: Lessons from Nigeria. J Clin Tuberc Other Mycobact Dis. 2024 Feb 24;35:100423. doi: 10.1016/j.jctube.2024.100423. PMID: 38435000; PMCID: PMC10907208.

[16] Alene KA, Wangdi K, Clements ACA. Impact of the COVID-19 Pandemic on Tuberculosis Control: An Overview. Trop Med Infect Dis. 2020 Jul 24;5(3):123. doi: 10.3390/tropicalmed5030123. PMID: 32722014; PMCID: PMC7558533.

[17] World Health Organization (WHO). (2020). Digital innovations in TB care. WHO.(Accessed 24thSeptember, 2024).

[18] Kragsterman, P. (2024). The role of telemedicine in radiology: A game changer for patient care. Collective Minds Radiology. Retrieved from https://about.cmrad.com/articles/telemedicine-in-radiology-2024

[19] World Health Organization. (2021). Global tuberculosis report 2021. World Health Organization. https://www.who.int/publications/i/item/9789240060476 (Accessed 28thSeptember, 2024).

[20] Du J, Su Y, Qiao J, Gao S, Dong E, Wang R, et al.(2024). Application of artificial intelligence in diagnosis of pulmonary tuberculosis. Chin Med J (Engl). 5;137(5):559-561. doi: 10.1097/CM9.0000000000003018. Epub 2024 Feb 19. PMID: 38369956; PMCID: PMC10932516.

[21] Kiran N, Sapna F, Kiran F, Kumar D, Raja F, Shiwlani S, et al. (2023). Digital Pathology: Transforming Diagnosis in the Digital Age. Cureus. 2023 Sep 3;15(9):e44620. doi: 10.7759/cureus.44620. PMID: 37799211; PMCID: PMC10547926.

[22] Kaliyadan F, Venkitakrishnan S. (2009). Teledermatology: clinical case profiles and practical issues. Indian J Dermatol VenereolLeprol.75(1):32-5. doi: 10.4103/0378-6323.45217. PMID: 19172028.

[23] Margineanu I, Louka C, Akkerman O, Stienstra Y, Alffenaar JW. eHealth in TB clinical management. Int J Tuberc Lung Dis. 2022 Dec 1;26(12):1151-1161. doi: 10.5588/ijtld.21.0602. PMID: 36447317; PMCID: PMC9728950.

[24] Lardizabal AA, Reichman LB. Diagnosis of Latent Tuberculosis Infection. MicrobiolSpectr. 2017 Jan;5(1). doi: 10.1128/microbiolspec.TNMI7-0019-2016. PMID: 28185619.

[25]Barbosa MT, Sousa CS, Morais-Almeida M. Telemedicine in the Management of Chronic Obstructive Respiratory Diseases: An Overview. In: Linwood SL, editor. Digital Health [Internet]. Brisbane (AU): Exon Publications; 2022 Apr 29. Chapter 10. Available from: https://www.ncbi.nlm.nih.gov/books/NBK580636/ doi: 10.36255/exon-publications-digital-health-respiratory-diseases

[26]Lee Y, Raviglione MC, Flahault A. Use of Digital Technology to Enhance Tuberculosis Control: Scoping Review. J Med Internet Res. 2020 Feb 13;22(2):e15727. doi: 10.2196/15727. PMID: 32053111; PMCID: PMC7055857.

[27]Elfiyunai NN, NursalamN, Sukartini T, & Efendi F. (2023). A systematic review on telenursing as a solution in improving the treatment compliance of tuberculosis patients in the COVID-19 pandemic. Healthcare in Low-Resource Settings, 11(s1). https://doi.org/10.4081/hls.2023.11194

[28]Abas SA, Ismail N, Zakaria Y. et al. Enhancing tuberculosis treatment adherence and motivation through gamified real-time mobile app utilization: a single-arm intervention study. BMC Public Health 24, 249 (2024). https://doi.org/10.1186/s12889-023-17561-z

[29]Sazali MF, Rahim SSSA, Mohammad AH, Kadir F, Payus AO, Avoi R, Jeffree MS, Omar A, Ibrahim MY, Atil A, Tuah NM, Dapari R, Lansing MG, Rahim AAA, Azhar ZI. Improving Tuberculosis Medication Adherence: The Potential of Integrating Digital Technology and Health Belief Model. Tuberc Respir Dis (Seoul). 2023 Apr;86(2):82-93. doi: 10.4046/trd.2022.0148. Epub 2022 Dec 23. PMID: 36597583; PMCID: PMC10073608.

[30]Getachew E, Woldeamanuel Y, Manyazewal T. Digital health interventions in the clinical care and treatment of tuberculosis and hiv in central Ethiopia: an initial provider perceptions and acceptability study using the unified theory of acceptance and use of technology model. Int J Mycobacteriol. 2022;11(1):1–9.

[31]Board on Health Care Services; Institute of Medicine. The Role of Telehealth in an Evolving Health Care Environment: Workshop Summary. Washington (DC): National Academies Press (US); 2012 Nov 20. 3, The Evolution of Telehealth: Where Have We Been and Where Are We Going? Available from: https://www.ncbi.nlm.nih.gov/books/NBK207141/

[32]Vaz C, Jose NK, Tom JJ. et al. Formative acceptance of ingestible biosensors to measure adherence to TB medications. BMC Infect Dis 22, 754 (2022). https://doi.org/10.1186/s12879-022-07756-x

[33]Donahue ML, Eberly MD, Rajnik M. Tele-TB: Using TeleMedicine to Increase Access to Directly Observed Therapy for Latent Tuberculosis Infection. Mil Med. 2021 Jan 25;186(Suppl 1):25-31. doi: 10.1093/milmed/usaa300. PMID: 33499464.

[34]CDC, Recommendations for Use of Video Directly Observed Therapy During Tuberculosis Treatment — United States, 2023 https://www.cdc.gov/mmwr/volumes/72/wr/mm7212a4.htm (Accessed 29thSeptember, 2024).

[35]Denkinger CM, Grenier J, Stratis AK, Akkihal A, Pant-Pai N, Pai M. Mobile health to improve tuberculosis care and control: a call worth making. INT J TUBERC LUNG DIS 17(6):719–727 ©2013 The Union http://dx.doi.org/10.5588/ijtld.12.0638 E-published ahead of print 25 March 2013

[36]Goharinejad S, Hajesmaeel-Gohari S, Jannati N, Goharinejad S, Bahaadinbeigy K. Review of Systematic Reviews in the Field of Telemedicine. Med J Islam Repub Iran. 2021 Dec 29;35:184. doi: 10.47176/mjiri.35.184. PMID: 36042824; PMCID: PMC9391764.

[37]Ferorelli D, Nardelli L, Spagnolo L, Corradi S, Silvestre M, Misceo F, Marrone M, Zotti F, Mandarelli G, Solarino B, Dell'Erba A. Medical Legal Aspects of Telemedicine in Italy: Application Fields, Professional Liability and Focus on Care Services During the COVID-19 Health Emergency. J Prim Care Community Health. 2020 Jan-Dec;11:2150132720985055. doi: 10.1177/2150132720985055. PMID: 33372570; PMCID: PMC7780315.

[38]Lyles CR, Sharma AE, Fields JD, Getachew Y, Sarkar U, Zephyrin L. Centering Health Equity in Telemedicine. Ann Fam Med. 2022 Jul-Aug;20(4):362-367. doi: 10.1370/afm.2823. PMID: 35879077; PMCID: PMC9328712.

[39]Bashshur RL, Reardon TG, Shannon GW. Telemedicine: a new health care delivery system. Annu Rev Public Health. 2000;21:613-37. doi: 10.1146/annurev.publhealth.21.1.613. PMID: 10884967.

[40]Ministry of Health and Family Welfare (MH&FW), Government of India. https://esanjeevani.mohfw.gov.in/#/ (Accessed 30thSeptember, 2024).

[41]Morse R, Myburgh H, Reubi D, Archey A, Busakwe L, Garcia-Prats A, et al.(2020). Opportunities for Mobile App–Based Adherence Support for Children With Tuberculosis in South Africa JMIR MhealthUhealth 2020;8(11):e19154 URL: https://mhealth.jmir.org/2020/11/e19154 DOI: 10.2196/19154

[42]BRAC. (2024). Bangladesh intensifies fight against Tuberculosis: Key stakeholders convene to mitigate challenges. Retrieved from https://www.brac.net (Accessed 30thSeptember, 2024).

[43]ManyazewalT, Woldeamanuel Y, Holland DP, et al. Effectiveness of a digital medication event reminder and monitor device for patients with tuberculosis (SELFTB): a multicenter randomized controlled trial. BMC Med 20, 310 (2022). https://doi.org/10.1186/s12916-022-02521-y

[44]Ngwatu BK, Nsengiyumva NP, Oxlade O, Mappin-Kasirer B, Nguyen NL, Jaramillo E, et al. 9 (2018). Collaborative group on the impact of digital technologies on TB. The impact of digital health technologies on tuberculosis treatment: a systematic review. Eur Respir J. 2018 Jan 11;51(1):1701596. doi: 10.1183/13993003.01596-2017. PMID: 29326332; PMCID: PMC5764088.

© Copyright 2023 BioMedSciDirect Publications IJBMR -ISSN: 0976:6685.