

Contents lists available at BioMedSciDirect Publications

## International Journal of Biological & Medical Research

Journal homepage: www.biomedscidirect.com



# Review Article A review on Indian National Vaccine Policy

Dr. Priyanka Sontakke, Dr. Anup N, Dr. Himanshu Kumawat, Dr. Prateek Jain

Postgraduate student (Department of Public Health Dentistry, Jaipur Dental College, Jaipur)
Prof. and Head (Department of Public Health Dentistry, Jaipur Dental College, Jaipur)
MDS (Department of Public Health Dentistry)
Postgraduate student (Department of Public Health Dentistry, Jaipur Dental College, Jaipur)

ARTICLEINFO

Keywords:

ABSTRACT

Vaccination is a proven and one of the most cost-effective child survival interventions. All countries in the world have an immunization programme to deliver selected vaccines to the targeted beneficiaries, specially focusing on pregnant women, infants and children, who are at a high risk of diseases preventable by vaccines. There are at least 27 causative agents against which vaccines are available and many more agents are targeted for development of vaccines the number of antigens in the immunization programmes varies from country to country; however, there are a few selected antigens against diphtheria, pertussis, tetanus, poliomyelitis, measles, hepatitis B which are part of immunization programmes in most of the countries in the world. UIP was given the status of a National Technology Mission in 1986. A specific Immunization Strengthening Project (ISP) was designed to run from 2000-2003, which included three main components (polio eradication, strengthening routine immunization, and strategic framework for development).

### 1. Introduction

Vaccination is a proven and one of the most cost-effective child survival interventions. All countries in the world have an immunization programme to deliver selected vaccines to the targeted beneficiaries, specially focusing on pregnant women, infants and children, who are at a high risk of diseases preventable by vaccines. There are at least 27 causative agents against which vaccines are available and many more agents are targeted for development of vaccines the number of antigens in the immunization programmes varies from country to country; however, there are a few selected antigens against diphtheria, pertussis, tetanus, poliomyelitis, measles, hepatitis B which are part of immunization programmes in most of the countries in the world.

UIP was given the status of a National Technology Mission in 1986. A specific Immunization Strengthening Project (ISP) was designed to run from 2000-2003, which included three main components (polio eradication, strengthening routine immunization, and strategic framework for development).

The overarching goal of the UIP is to reduce morbidity and mortality due to vaccine preventable diseases (VPD). While surveillance information for specific VPDs is limited, the steady

\* Corresponding Author: **Ibrahim NA**Internal Medicine Department,
Faculty of Medicine,
Ain Shams University,
Cairo, Egypt

fall of IMR from 123 to 50 deaths per 1000 live-births (SRS 2011) does in part reflect the impact of the UIP. Besides, in the past 15 years, a decline in the reported number of cases of the main VPDs (diphtheria, tetanus, pertussis and measles) has been observed. The same data though does show an increase in the number of reported measles, diphtheria and pertussis cases in recent years with measles continuing to be responsible for 6% of childhood mortality or 80,000 deaths annually. Since its launch in 1995, the Polio Pulse campaign aimed at eradicating polio from India, has begun to show results. Government efforts have brought India closer to the goal of polio eradication than ever before in history with only 42 confirmed cases in 2010 and only one in 2011.

As a part of the broader National Health Policy, a national vaccine policy is needed, based on the principles of public health and comprehensive primary health care. This is to enable rational and evidence-based decisions for the development, entry, production, stable supply, pricing, promotion and use of appropriate vaccines on scientific grounds. Additionally, this is also needed to protect the national vaccine programmes and national health security, as well as to leverage indigenous capabilities to cater to domestic and overseas markets.

Objectives of the national vaccine policy

- 1. To contribute to prevention of mortality and morbidity due to communicable diseases
- 2. To ensure consistent delivery and administration of vaccines to everyone in need.
- 3. To achieve national self-reliance in vaccine R&D.
- 4.To achieve pre-eminence in the capabilities of the indigenous public sector for self-reliance.
- 5. To develop and use the interdisciplinary knowledge base.
- 6.To promote ethical conduct in the development, trials, adoption and administration of vaccines
- 7. To develop a system for monitoring and compensating AEFI
- 8.To enable India to play a leading role in the supply of affordable vaccines.
- $9. \, To \, synergize \, all \, \, relevant \, policies \, for \, effective \, \, implementation \, \, of the \, national \, vaccine \, policy$

The national policy of immunization under Universal Immunisationprogramme is phased in manner as seen in following table:

Vaccine	When to give	Dose	Route	Site
	For Pregnar	nt Women	241	
TT-1	Early in pregnancy	0.5 ml	Intra-muscular	Upper Arm
TT-2	4 weeks after TT-1*	0.5 ml	Intra-muscular	Upper Arm
TT- Booster	If received 2 TT doses in a pregnancy within last 3 yrs*	0.5 ml	Intra-muscular	Upper Arm
	For Int	ants	v.,	
BCG	At birth or as early as possible till one year of age	0.1ml (0.05ml till 1mth age)	Intra-dermal	Left Upper Arm
Hepatitis B	At birth or as early as possible within 24 hours	0.5 ml	Intra-muscular	Antero-lateral side of mid- thigh
OPV-0	At birth or as early as possible within the first 15 days	2 drops	Oral	Oral
OPV 1,2 & 3	At 6 weeks, 10 weeks & 14 weeks	2 drops	Oral	Oral
DPT 1,2 & 3	At 6 weeks 10 weeks & 14 weeks	0.5 ml	Intra-muscular	Antero-lateral side of mid- thigh
Hep B 1, 2 & 3	At 6 weeks 10 weeks & 14 weeks	0.5 ml	Intra-muscular	Antero-lateral side of mid- thigh
Measles	9 completed months-12 months.	0.5 ml	Sub-cutaneous	Right upper Arm
Vitamin-A (1stdose)	At 9 months with measles	1 ml (1 lakh IU)	Oral	Oral
	For Chi	ldren		
DPT booster	16-24 months	0.5 ml	Intra-muscular	Antero-lateral side of mid- thigh
Measles 2nd dose	16-24 months	0.5 ml	Sub-cutaneous	Right upper Arm
OPV Booster	16-24 months	2 drops	Oral	Oral
Japanese Encephalitis**	16-24 months	0.5 ml	Sub-cutaneous	Left Upper Arm
Vitamin-A***				
(2nd to 9th dose)	16 months. Then, one dose every 6 months up to the age of 5 years.	2ml (2 lakh IU)	Oral	Oral
DPT Booster	5-6 years	0.5 ml.	Intra-muscular	Upper Arm
TT	10 years & 16 years	0.5 ml	Intra-muscular	Upper Arm

\*Give TT-2 or Booster doses before 36 weeks of pregnancy. However, give these even if more than 36 weeks have passed. Give TT to a woman in labour, if she has not previously received TT.

\*\*\* The 2nd to 9th doses of Vitamin A can be administered to children 1-5 years old during biannual rounds, in collaboration with ICDS.

UIP in India and its core antigens have made a significant impact on the burden of diseases in the country and directly contributed to reducing child mortality. There is limited production capacity of these vaccines in public sector units and the involvement of private sector manufacturers is required to ensure that supply of UIP vaccine is not threatened.

For new and under utilized vaccines, there is need for the institutionalizing and strengthening of decision making process in-built country mechanism for sustainable production of newer vaccines within country.

India has a leading vaccine industry; however, there is need for investing more on the research for the vaccines for the priority diseases in the country.

For potentially new vaccines and vaccine security issues, the implementation of immunization program should be put in the perspective of broader goals of National Health Policy. The sufficient political will & support, and financing mechanisms should also be ensured for this purpose.

Situation analysis:India's vaccine industry ranks third in terms of volume globally in the world. The impact of vaccination suggest that IMR in India had fallen steadily to reach 40 deaths per 1000 live-birth as per Sample Registration System in 2013, while as per Sample Registration System 2012 it was 52 per 1000 live births.National vaccination coverage is believed to be around 72%. However, there are major differences in coverage among the states, ranging from below 30% to above 90% in some states. The private health sector provides an estimated 15-20% of immunization services.14 states with measles coverage< 80% – (Arunanchal Pradesh, Assam, Bihar, Chattisgarh, Gujarat, Haryana, Jharkhand, M.P, Manipur, Meghalaya, Nagaland, Rajasthan, Tripura and U.P).In the remaining 21 states with better performing routine immunization systems (i.e.,>=80% routine measles coverage).

It has been three years without any fresh cases of Polio; India has officially eliminated the much dreaded disease effective January 2014.

The elimination of maternal and neonatal tetanus comes a year after India eradicated polio. Maternal and neonatal tetanus is now reduced to less than one case per 1 000 live births in all 675 districts of the country.

Haemophilusinfluenzae type b (Hib) vaccines, Pneumococcal conjugate vaccines, Rotavirus vaccines, HPV vaccines, which have estimated reducing child mortality in India.

#### Barriers to strengthen Immunization Programme:

There are well recognized challenges in the implementation of immunization program in the country as follows:

Weak VPD surveillance system;

Lack of data on disease burden in India

Lack of diagnostic tools and specialized training for certain VPD.

Lack of baseline surveillance data.

Limited economic evaluations

Lack of a financial sustainability plan for the introduction of new vaccines.

<sup>\*\*</sup> JE Vaccine, in select endemic districts after the campaign.

VACCINE RESEARCH AND DEVELOPMENT: The research and development of vaccines for locally prevalent diseases like Pneumonia, Diarrhea, JE, Dengue, Cholera, Typhoid and diseases like Leishmaniasis etc...in India should be given a priority.

India has a number of institutions, where vaccine related projects are executed i.e. Indian Council of Medical Research (ICMR), Department of Science and Technology (DST), Council for Scientific and Industrial Research (CSIR), small and medium vaccine industries, medical and engineering schools, in addition to the Department of Biotechnology (DBT) supported autonomous institutions. A number of linkages need to be discovered between academia, industry and international institutions such as NIH/NIAID, Gates Foundation, GAVI Alliance, PATH, WHO and the International Centre for Genetic Engineering and Biotechnology (ICGEB).

Creation of Bio-repositories: Biorepository is a confidential list of people who are willing to participate in a vaccine study, have had a virus or who have lived in a Dengue virus risk area and are willing to participate in one of our studies.

Banking of biological samples both sera and organisms that are collected during diseases surveillance, epidemics or clinical trials can be a tremendous source of materials for retrospective use in case of re-emergence of a disease. Administration, management, custodianship, and security of biobanks can be major issues.

The existing guidelines that govern the functioning of a National Biorepository in India and the best practices followed in other countries should be examined and an India specific Standard Operating Procedure and Guidelines needs to be drafted with appropriate linkages with different programs.

The concept of public private partnership (PPP) has aided in bridging the gaps between academia, industry, and funding agencies successfully. The PPPs have also evolved innovative methods for intellectual property and portfolio management, and has unique structures and methods for governance.

An indigenous new generation Oral Cholera Vaccine has also been brought to the market with the partners being International Vaccine Institute, Korea, National Institute of Cholera and other Enteric Diseases (NICED), Kolkata, and ShanthaBiotechnics Ltd, Hyderabad.

AIDS vaccine trials have accelerated significantly in India in recent years. Activities include an adeno-associated virus vector Phase I trial, MVA vector vaccine trials and a recent DNA/MVA Phase I prime-boost trial initiated in 2009. The International AIDS Vaccine Initiative (IAVI) is supporting Indian AIDS vaccine clinical trials and applied research on neutralizing antibody immunogens.

Vaccine production and supply: India is one of the major suppliers to UN agencies of pre-qualified vaccines approximately 43% of global vaccine supply is provided by Indian manufacturers, primarily from the private sector. All Immunization Program (NIP) vaccines supplied are from WHO non pre-qualified manufacturers except of measles vaccine.

National Technical Advisory Group on Immunization (NTAGI):NTAGI is a group of experts from vaccination and immunization related fields in India. New vaccines to be introduced as per National Technical Advisory Group on Immunization (NTAGI) recommendation.

Injectable Polio Vaccine (IPV): NTAGI recommended Injectable Polio Vaccine (IPV) introduction as an additional dose along with 3rd dose of DPT in the entire country in the first quarter of 2016.Rota virus vaccine: NTAGI recommended the introduction of rotavirus vaccine in Universal Immunization Programme in a phased manner. Rubella vaccine is to be introduced as MR vaccine replacing the measles containing vaccine first dose (MCV1) at 9 months and second dose (MCV2)at 16-24 months.On September 23, 2013 NTAGI endorsed scale-up of pentavalent vaccine in the remaining 27 states in a phased manner with simultaneous strengthening of the AEFI and sentinel surveillance systems.NTAGI advises the national government regarding the technical issues related to the vaccination and immunization.

OPERATIONAL EFFICIENCY OF UIP consists of improving vaccine coverageAEFI surveillance system, VPD surveillance, Vaccine forecasting, procurement and management.

a)Improving vaccine coverage:In India,even though Indian vaccine manufacturers supply over 43 percent of the global vaccine requirements, the average of national coverage of the essential vaccines under the UIP in India is below 50 percent. The UIP in India targets 2.7 crore infants with a domestic market of 100 million doses. The coverage of UIP vaccines in this country is >70% only in 11 states, 50-70% in 13 and below 50 % in the rest of the 8 states. 179 Japanese Encephalitis (JE) endemic districts across 20 states have been identified. JE vaccination campaign has been completed in 154 districts covering nearly 108 million children; remaining districts will be covered till March 2015.

Pentavalent vaccine has been introduced in 8 States/UTs i.e. TamilNadu, Kerala, Haryana, J&K, Gujarat, Karnataka, Goa and Puducherry. Pentavalent vaccine expansion is planned in 12 States/UTs i.e. Andhra Pradesh, Telangana, Assam, Bihar,Chhattisgarh, Jharkhand, Madhya Pradesh, Punjab, Rajasthan, West Bengal, Delhi, Uttarakhand by December 2014.

b) Adverse events following immunization surveillance system:The national operational guidelines on AEFI surveillance has been updated in 2010.

The Central Drug Laboratory used for testing for vaccine samples in AEFI are

- 1) Central Drugs Testing Laboratory, Mumbai, Maharashtra
- 2) Central Drugs Laboratory, Kolkata, West Bengal
- 3) Central Drugs Testing Laboratory, Chennai, Tamil Nadu
- 4) Central Drugs Testing Laboratory, Hyderabad, Andhra Pradesh
- 5) Central Drugs Laboratory, Central Research Institute, Kasauli, H.P.
  - 6) Regional Drugs Testing Laboratory, Guwahati, Assam

- 7) Regional Drugs Testing Laboratory, Chandigarh
- 8) National Institute of Biologicals, Noida (U.P.)
- c) VPD surveillance: Amongst different surveillance modelsunder vertical national health programs targeted for disease control, elimination or eradication in India, Integrated Disease Surveillance Project (IDSP) is one of those surveillance systems. IDSP is a case-based surveillance system for detection of early warning signals of outbreaks. The National Polio Surveillance Project (NPSP) has done extremely well in acute flaccid paralysis (AFP) surveillance in India. The efforts for inclusion of Hib and pneumococcal pneumonia and meningitis surveillance under IDSPhas already being done .
- d) Vaccine forecasting, procurement and management: All UIP vaccines are purchased at the central level for distribution to the states under the broad overarching General Financing Rules (GFR). The vaccines are purchased using Annual Rate Contracts (as per GFR) against which Supply Orders are issued. Parallel contracts are awarded for most vaccines. The current dependence on a limited number of domestic vaccine producers leaves the UIP vulnerable to price increases and supply shortages.

#### **Development of RI Logo:**

The new logo of the baby holding the syringe, indicating RI as his right, has been developed in purple color. This will give RI a distinct identity. Deliberate effortshave been made to stay away from the Polio brand colors of yellow and pink.

Vaccine wastage :An assessment of vaccine wastage in India, conducted in 2009 revealed that wastage rates depended on formulation, presentation and was inversely proportional to session size. Both cold chain requirement and vaccine wastage is expected to increase several fold with the introduction of newer vaccines compared to the UIP vaccines.

Following table shows wastage of six vaccines commonly used in the programme, which are administered according to the national immunization schedule.

Vaccine				
DPT (Diphtheria, Pertussis, Tetanus), DT (Diphtheria, Tetanus), TT (Tetanus) and OPV (Oral Polio Vaccine)	25%			
BCG (for Tuberculosis)				
Measles	25%			

Use of phase change materials (PCMs) can help reduce vaccine wastage during transportation. The present size of immunization division is extremely small, given the size of the country and number of beneficiaries to be serviced. Capacity building needs to be supported on a sustainable basis and should be adequately stressed in the national budget.

#### CONCLUSIONS AND RECOMMENDATIONS

India enjoyed the advantages of early initial successes in vaccine R&D and indigenous production in the public sector, but the country is increasingly unable to cope with the growing gap in the demand and supply of UIP vaccines . The availability of UIP vaccines from the private sector is also on the decline in India and abroad, in favour of more expensive new vaccines and combination vaccines, whose public health need has not been

unequivocally established in India with sound epidemiological and cost-benefit data. Therefore, India (and indeed, every country) must evolve its own national strategies to meet its vaccination needs within its budgetary constraints. To do so will require following are key actions. The first and foremost element is the decisive intervention of the Indian government to meet the shortfall in the UIP vaccines. Secondly, India needs to strengthen epidemiology and revive the collapsing disease surveillance system. Thirdly, a strong emphasis on in-house R&D is needed. Lastly, the Indian government should actively encourage independent policy research, cost-benefit studies, and wider national consultations

#### References

- 1) Www. Iapcoi.Com
- Government Of India . Adverse Events Following Immunization: Surveillance And Response Standard Operating Procedures .New Delhi: Ministry Of Health And Family Welfare, Government Of India; 2010
- S Kounteya; Vaccine Security Tops Health Ministry's Agenda; Toi;21/03/2012(16th March 2015)
- 4) Indian J Med Res 131, May 2010, pp 617-628
- 5) Lora Shimp.Strenghthening Immunization Programs: The Communication Component.PublishedBy The Basic Support For Institutionalizing Child Survival Project (Basics Ii) For The United States Agency For International Development.Arlington, Virginia, May 2004.
- 6) Www.Mohfw.Nic.In
- Business Standard; India Unlikely To Meet Infant Mortality Rate Target Of 2015; 21st Dec 2014
- 8) Stephan D.; vaccine transport;stop vaccines wastes- take a look at the transport chain; process worldwide;10/30/2014
- 9) (http://www.searo.who.int/en/)
- Who/Unicef. The State Of World's Vaccines And Immunization, Third Edition, 2009
- 11) Gessner BD, Duclos P, Deroeck D, Nelson EA. Informing decision makers: experience and process of 15 National Immunization Technical Advisory Groups. Vaccine 2010; 28 Suppl 1: A1-5
- 12) John, TJ. India's National technical advisory group on immunization. Vaccine 28 S(2010) A88-90
- 13) Manasi, India'sNational Vaccine Policy : what next?;Biospectrum the business of Science; 4 June 2012
- 14) http://www.cdsco.nic.in/
- 15) http://mohfw.nic.in/WriteReadData/l892s/5628564789562315.pdf
- $16) \quad Assessment \, Of \, Vaccine \, Was tage \, In \, India, 2010. \, Moh \& Fw \, And \, Unicef$
- 17) Mukherjee A, Das V, Srivastava A, Gupta A, Upadhyay A, et al. (2013) An Assessment of Wastage Multiplier Factor (WMF) and Percent Wastage of Vaccines during Routine Immunization Under the Universal Immunization Programme (UIP), Government of India (GOI). J Vaccines Vaccin 4:181.
- 18) .( Stephan D.; vaccine transport; stop vaccines wastes- take a look at the transport chain; process worldwide; 10/30/2014)
- Assessment Of Vaccine Procurement System In India,2004,Financial Sustainability
- 20) Madhavi Y. Vaccine Policy In India. Plos Med. 2005; 2 E127.
- 21) Innovative Financing For Global Health A Moment For Expanded U.S. Engagement? A Report Of The Csis Global Health Policy CENTER (HTTP://CSIS.ORG/FILES/PUBLICATION/100316\_HECHT\_Innovativefinancing\_Web.PdfLast Accessed On 1/1/11)

- 22) T.Jacob John. India's National Technical Advisory Group on Immunisation; Vaccine; 28 S (2010) A88-A90.
- 23) Procurement And Pricing Of New Vaccines For Developing Countries lavi Policy Brief16 (Http://Www.Rho.Org/Files/lavi\_Vaccine\_Procurement\_Pricing.Pdf)
- 24) Y.MadhaviEt.Al. Evidence-Based National Vaccine Policy. Indian J Med Res 131, May 2010, Pp 617-628